# ACCESSIBILITY INFORMATION SUPPLEMENT

Property Address: _	Listing #:	Date:
	······································	

This supplement is for informational purposes only and Buyer is responsible for verifying the information contained herein.

ACCESSIBLE APPROACH		
<ul> <li>Accessible route from garage to street</li> <li>Accessible route from garage to home interior</li> <li>Exterior curb cuts</li> <li>Garage door 6'8" clear opening or greater</li> <li>Level parking (with room for a ramp)</li> </ul> Comments:	<ul> <li>Automatic lighting</li> <li>Exterior wheelchair lift</li> <li>Ramped or level entry</li> <li>Covered entry</li> <li>Hard surface pathway</li> </ul>	<ul> <li>Second exit</li> <li>Automatic gates</li> <li>Covered pathway from parking</li> <li>Minimum 60" turning radius</li> <li>Sidewalks</li> </ul>
ACCESSIBLE ENTRANCE		
<ul> <li>Minimum of 32" + wide door opening</li> <li>Covered entry</li> <li>Covered pathway from parking</li> <li>Peephole &amp; lowered peephole</li> </ul>		<ul> <li>Automatic door opener</li> <li>Lowered threshold</li> </ul>
Comments:		
ACCESSIBLE CENTRAL LIVING/COM ACCESSIBLE CENTRAL CENTRAL LIVING/COM ACCESSIBLE CENTRAL CEN	<ul> <li>Minimum of 32" wide door opening</li> <li>No flooring height changes between rooms</li> </ul>	
ACCESSIBLE BEDROOM		
<ul> <li>Minimum of 36" wide level pathway to bedroon</li> <li>Closet bars adjustable or at least one bar at 48</li> <li>Window controls are within 40" of the floor</li> <li>Lowered switches/outlets/controls mounted be</li> </ul> Comments:	,m }	<ul> <li>Minimum of 32" wide door opening</li> <li>Low pile carpeting or no carpeting</li> <li>Pocket door</li> <li>Wide/double doors</li> </ul>

## ACCESSIBLE BATHROOM

- □ Minimum of 36" wide level pathway to bathroom opening
- Lowered switches/outlets/controls mounted between 18" and 48" above
- Accessible full bath
- Accessible half bath
- □ Sink with space for knee & foot under counter
- Bottom of the mirror is at 40" maximum
- Counters between 32" to 34"
- Grab bars by/in shower
- Scald control faucet

#### Comments:

- □ 60" turning radius Lever faucets
- Roll-in shower
- Pocket door
- □ Minimum of 32" wide door opening

Range or cooktop with controls on the front or side of burners

- Grab bars
- Grab bars by toilet
- Lifted/raised toilet

#### ACCESSIBLE KITCHEN

□ Minimum of 36" wide level pathway to kitchen area

□ Shelves under 48" or pull-down shelves

U Well-lit work surfaces

- □ Side open oven
- Accessible outlets (not behind counter)
- Raised dishwasher
- □ 60" turning radius
- Contrasting color between work surfaces and backsplash

Comments:

## ACCESSIBLE UTILITY

□ Minimum of 36" wide level pathway to utility room

- □ Sink with space for knee & foot under counter
- □ Shelves and cabinets between 18" 48"

□ Front load washer/dryer

□ Minimum of 32" wide door opening

- Pedestal or raised appliances
- Circuit breaker panel with top control of the breaker panel at 48" maximum

#### Comments:

#### MODIFICATIONS FOR HEARING/VISION

Visual doorbell

- Contrasting color between work surfaces and backsplash
- Adjustable lighting
- □ All appliances have visual and audible cues
- Smart house features for verbal commands
- □ Visual smoke/fire alarms

Comments:

- Open floor plan
- Buttons/knobs on appliances (no flat panel controls)
- Talking thermostat
- Peephole on front door
- U Well-lit work surfaces

- □ Counter is between 32" 34" from floor □ Sink with space for knee & foot under counter

Button/knobs on stove and microwave

□ Variable counter heights

Accessible switches (not behind counter)

Raised toe kicks

ACCESSIBLE ELEVATOR OR LIFT INSTALLED						
<ul> <li>Minimum of 36" wide level path from entrance to elevator/lift</li> <li>Dedicated space for elevator (not installed)</li> <li>Internal platform lift (stay in wheelchair)</li> </ul>		<ul> <li>Elevator installed</li> <li>Stair lift (transfer)</li> </ul>	<ul> <li>Elevator permits available</li> <li>External platform lift (stay in wheelchair)</li> </ul>			
Comments:						
CEILING TRACK						
Treek installed in mester bodroom		velle				
Image: Track installed in master bedroom       Image: Reinforced support walls         Image: Reinforced ceilings       Image: Track installed between rooms         Image: Track installed in bathroom       Image: Track installed between rooms						
Comments:						
SMART TECHNOLOGY						
Automated lighting controls	Automated enviro	nmental controls	Automatic door openers			
Comments:						
OTHER						
□ Fenced yard/dog run (service dog/guide dog) □ Accessible route to the back yard						
Comments:						