## **ACCESSIBILITY FEATURES WORKSHEET**



## Please PRINT clearly in all blanks.

∟⊃ #	Listing Address	s:			
sting Agent Name: Jonathan Minerick		Listing A	Listing Agent E-mail:info@homecoin.com		
sting Agent Phone #:			000 400 2512		
isting Brokerage: <u>homecoin.com</u> Listing Brokerage Phone #: <u>888-400-2513</u>					
This supplement is for info	xmational purposes only and	Buyer is respo	nsible for verifying the information contained hereil		
ACCESSIBLE APPROAC	ж				
<ul> <li>Accessible route from garage</li> <li>Accessible route from garage</li> <li>Exterior curb cuts</li> <li>Garage door 6'8" clear openin</li> <li>Level parking (with room for a</li> </ul>	to home interior	wheelchair lift or level entry entry face pathway	<ul> <li>Second exit</li> <li>Automatic gates</li> <li>Covered pathway from parking</li> <li>Minimum 60" turning radius</li> <li>Sidewalks</li> </ul>		
ACCESSIBLE ENTRANC	pening		Automatic door opener     Lowered threshold		
ACCESSIBLE CENTRAL	LIVING/COMMON AREA				
AUGEOUBLE GENTRAL					
Minimum of 36" wide level patilized in the second sec	eting trols mounted between 18" and 4		Minimum of 32" wide door opening No flooring height changes between rooms		
<ul> <li>Minimum of 36" wide level pat</li> <li>Low pile carpeting or no carpe</li> <li>Lowered switches/outlets/cont</li> </ul>	eting trols mounted between 18" and 4				

## ACCESSIBILITY FEATURES WORKSHEET (cont.)

ACCESSIBLE BATHROOM				
<ul> <li>Minimum of 36" wide level pathway to bathroom opening</li> <li>Lowered switches/outlets/controls mounted between 18" and</li> <li>Accessible full bath</li> <li>Accessible half bath</li> <li>Sink with space for knee &amp; foot under counter</li> <li>Bottom of the mirror is at 40" maximum</li> <li>Counters between 32" to 34"</li> <li>Grab bars by/in shower</li> <li>Scald control faucet</li> </ul>	<ul> <li>Roll-in shower</li> <li>Pocket door</li> <li>Minimum of 32" wide door opening</li> <li>Grab bars</li> <li>Grab bars by toilet</li> <li>Lifted/raised toilet</li> </ul>			
ACCESSIBLE KITCHEN				
<ul> <li>Minimum of 36" wide level pathway to kitchen area</li> <li>Shelves under 48" or pull-down shelves</li> <li>Well-lit work surfaces</li> <li>Side open oven</li> <li>Accessible outlets (not behind counter)</li> <li>Raised dishwasher</li> <li>60" turning radius</li> <li>Contrasting color between work surfaces and backsplash</li> </ul>	<ul> <li>Range or cooktop with controls on the front or side of burners</li> <li>Accessible switches (not behind counter)</li> <li>Variable counter heights</li> <li>Counter is between 32" - 34" from floor</li> <li>Sink with space for knee &amp; foot under counter</li> <li>Raised toe kicks</li> <li>Button/knobs on stove and microwave</li> </ul>			
Comments:				
ACCESSIBLE UTILITY				
Minimum of 36" wide level pathway to utility roomImage: Minimum of 32" wide door openingSink with space for knee & foot under counterPedestal or raised appliancesShelves and cabinets between 18" - 48"Circuit breaker panel with top control of the breaker panel at 48" maximumFront load washer/dryerFront load washer/dryer				
Comments:				
MODIFICATIONS FOR HEARING/VISION				
<ul> <li>Visual doorbell</li> <li>Contrasting color between work surfaces and backsplash</li> <li>Adjustable lighting</li> <li>All appliances have visual and audible cues</li> <li>Smart house features for verbal commands</li> <li>Visual smoke/fire alarms</li> </ul>	<ul> <li>Open floor plan</li> <li>Buttons/knobs on appliances (no flat panel controls)</li> <li>Talking thermostat</li> <li>Peephole on front door</li> <li>Well-lit work surfaces</li> </ul>			
Comments:				

& CENTRAL OHIO REGIONAL

## ACCESSIBILITY FEATURES WORKSHEET (cont.)



ACCESSIBLE ELEVATOR OF			
<ul> <li>Minimum of 36" wide level path from</li> <li>Dedicated space for elevator (not ins</li> <li>Internal platform lift (stay in wheelch)</li> </ul>	stalled)	□ Elevator installed □ Stair lift (transfer)	<ul> <li>Elevator permits available</li> <li>External platform lift (stay in wheelchair)</li> </ul>
CEILING TRACK			
<ul> <li>Track installed in master bedroom</li> <li>Reinforced ceilings</li> <li>Track installed in bathroom</li> </ul>	□ Reinforced support w □ Track installed betwe		
Comments:			
SMART TECHNOLOGY			
Automated lighting controls	□ Automated enviror		Automatic door openers
Comments:		·	
OTHER			
□ Fenced yard/dog run (service dog/gu	lide dog)	Accessible route to t	he back yard
Comments:			
gnature of Owner(s)		Signatur	e of Owners(s)

Date: \_\_\_\_\_

Date: \_\_\_\_\_